Brain Research, 72 (1993) 329–330
© 1993 Elsevier Science Publishers B.V. All rights reserved 0165-3806/93/$06.00

Author Index

Akimoto, J., Itoh, H., Miwa, T. and Ikeda, K.
Immunohistochemical study of glutamine synthetase expression in early glial development (72) 9
Andersson, L., see Harik, S.I. (72) 41
Aronstam, R.S., see Baumgartner, M.K. (72) 305
Avoli, M., see Fueta, Y. (72) 51

Barker, J., see Behar, T. (72) 203
Barker, J.L., see Schaffner, A.E. (72) 265
Basham, M.E., see Tobet, S.A. (72) 167
Baulieu, E.-E., see Jung-Testas, I. (72) 282
Baum, M.J., see Tobet, S.A. (72) 167
Baumgartner, M.K., Wei, J. and Aronstam, R.S.
Retinoic acid-induced differentiation of a human neuroblastoma cell line alters muscaric receptor expression (72) 305
Behar, T., Schaffner, A., Laing, P., Hudson, L., Komoly, S. and Barker, J.
Many spinal cord cells transiently express low molecular weight forms of glutamic acid decarboxylase during embryonic development (72) 203
Behar, T., see Schaffner, A.E. (72) 265
Bennett-Clarke, C.A., see White, F.A. (72) 314
Bergmann, M., see Ovtscharoff, W. (72) 219
Betz, H., see Ovtscharoff, W. (72) 219
Bugnard, H., see Jung-Testas, I. (72) 282

Cabana, T., see Cassidy, G. (72) 291
Cammer, W., see Velíšek, L. (72) 321
Carlson, C.G. and Feng, Y.
Asynaptic expression of the adult nicotinic acetylcholine receptor in long-term cultures of mammalian myotubes (72) 245
Carroll, S.L., see Wanaka, A. (72) 133
Cassidy, G. and Cabana, T.
The development of the long descending propriospinal projections in the opossum, *Monodelphis domestica* (72) 291
Cheng, K.W., see Ethell, D.W. (72) 1
Chiaia, N.L., see White, F.A. (72) 314
Constantine-Paton, M., see Debski, E.A. (72) 21
Cynader, M.S., see Dyck, R.H. (72) 181

Debski, E.A. and Constantine-Paton, M.
The development of non-retinal afferent projections to the frog optic tectum and the substance P immunoreactivity of tectal connections (72) 21
Dos Santos, R.M., see Gardino, P.F. (72) 226
Dow-Edwards, D.L., Freed-Malen, L.A. and Hughes, H.E.
Long-term alterations in brain function following cocaine administration during the preweanling period (72) 309
Dunnett, S.B., see Mayer, E. (72) 253
Dyck, R.H., Van Eldik, L.J. and Cynader, M.S.
Immunohistochemical localization of the S-100β protein in postnatal cat visual cortex: spatial and temporal patterns of expression in cortical and subcortical glia (72) 181

Ethell, D.W., Steeves, J.D., Jordan, L.M. and Cheng, K.W.
Developmental transition by spinal cord plasma membranes of embryonic chick from permissive to restrictive substrates for the morphological differentiation of neuroblastoma $\times$glioma hybrid NG108–15 cell (72) 1

Farooq, M., see Norton, W.T. (72) 193
Fawcett, J.W., see Mayer, E. (72) 253
Feng, Y., see Carlson, C.G. (72) 245
Figueiredo, B.C., Otten, U., Strauss, S., Volk, B. and Maysinger, D.
Effects of perinatal hypo- and hyperthyroidism on the levels of nerve growth factor and its low-affinity receptor in cerebellum (72) 237
Franz, T. and Kothary, R.
Characterization of the neural crest defect in Splotch (Sp^{1H}) mutant mice using a lacZ transgene (72) 99
Freed-Malen, L.A., see Dow-Edwards, D.L. (72) 309
Fueta, Y. and Avoli, M.
Tetraethylammonium-induced epileptiform activity in young and adult rat hippocampus (72) 51

Gardino, P.F., Dos Santos, R.M. and Hokoç, J.N.
Histogenesis and topographical distribution of tyrosine hydroxylase immunoreactive amacrine cells in the developing chick retina (72) 226
Ghooray, G.T. and Martin, G.F.
The development of myelin in the spinal cord of the North American opussum and its possible role in loss of rubrospinal plasticity. A study using myelin basic protein and galactocerebroside immunohistochemistry (72) 67
Goodlett, C.R., Leo, J.T., O'Callaghan, J.P., Mahoney, J.C. and West, J.R.
Transient cortical astrogliosis induced by alcohol exposure during the neonatal brain growth spurt in rats (72) 85
Grabs, D., see Ovtscharoff, W. (72) 219
Gratzl, M., see Ovtscharoff, W. (72) 219

Hall, A.K., see Harik, S.I. (72) 41
Harik, S.I., Hall, A.K., Richey, P., Andersson, L., Lundahl, P. and Perry, G.
Ontogeny of the erythroid/HepG2-type glucose transporter (GLUT-1) in the rat nervous system (72) 41
Hausman, R.E., see Shah, B.H. (72) 151
Hoeflinger, B.F., see White, F.A. (72) 314
Hokoç, J.N., see Gardino, P.F. (72) 226
Hudson, L., see Behar, T. (72) 203
Hughes, H.E., see Dow-Edwards, D.L. (72) 309

Ikeda, K., see Akimoto, J. (72) 9
Itaya, S.K., see Molotchnikoff, S. (72) 300
Itoh, H., see Akimoto, J. (72) 9

Jordan, L.M., see Ethell, D.W. (72) 1
Jung-Testas, I., Schumacher, M., Bugnard, H. and Baulieu, E.-E.
Stimulation of rat Schwann cell proliferation by estradiol: synergism between the estrogen and cAMP (72) 282

Knaus, P., see Ovtscharoff, W. (72) 219
Kocsis, J.D., see Lim, J.Y. (72) 15
Komoly, S., see Behar, T. (72) 203
Kothary, R., see Franz, T. (72) 99
Kuromi, H.
Isolation of sympathonectin; a substrate-bound protein which induces preferential growth of sympathetic fibers in vitro (72) 159

Lagercrantz, H., see Ringstedt, T. (72) 119
Laing, P., see Behar, T. (72) 203
Lent, R., see Pires-Neto, M.A. (72) 59
Leo, J.T., see Goodlett, C.R. (72) 85
Lim, J.Y., Utzschneider, D.A., Sakatani, K. and Kocsis, J.D.
The attenuation of GABA sensitivity in the maturing myelin-deficient rat optic nerve (72) 15
Long, L., see Yu, M.C. (72) 277
Lundahl, P., see Harik, S.I. (72) 41
Luo, C.B., see Yu, M.C. (72) 277

Mahoney, J.C., see Goodlett, C.R. (72) 85
Marquèze-Pouey, B., see Ovtscharoff, W. (72) 219
Martin, G.F., see Ghooray, G.T. (72) 67
Mayer, E., Dunnett, S.B. and Fawcett, J.W.
Mitogenic effect of basic fibroblast growth factor on embryonic ventral mesencephalic dopaminergic neurone precursors (72) 253
Maysinger, D., see Figueiredo, B.C. (72) 237
Milbrandt, J., see Wanaka, A. (72) 133
Miwa, T., see Akimoto, J. (72) 9
Molotchnikoff, S. and Itaya, S.K.
Functional development of the neonatal rat retinotectal pathway (72) 300
Moshé, S.L., see Velíšek, L. (72) 321

Nadi, S., see Schaffner, A.E. (72) 265
Norton, W.T. and Farooq, M.
Differentiation of glial precursor cells from developing rat brain in vitro (72) 193

Oakley, B.
The gustatory competence of the lingual epithelium requires neonatal innervation (72) 259
O'Callaghan, J.P., see Goodlett, C.R. (72) 85
Otten, U., see Figueiredo, B.C. (72) 237
Ovtscharoff, W., Bergmann, M., Marquèze-Pouey, B., Knaus, P., Betz, H., Grabs, D., Reisert, I. and Gratzl, M.
Ontogeny of synaptophysin and synaptoporin in the central nervous system: differential expression in striatal neurons and their afferents during development (72) 219

Panayotacopoulou, M.T. and Swaab, D.F.
Development of tyrosine hydroxylase-immunoreactive neurons in the human paraventricular and supraoptic nucleus (72) 145
Pentney, R.J., see Zou, J.-y. (72) 75
Perry, G., see Harik, S.I. (72) 41
Persson, H., see Ringstedt, T. (72) 119
Pires-Neto, M.A. and Lent, R.
The prenatal development of the anterior commissure in hamsters: pioneer fibers lead the way (72) 59
Pu, C. and Vorhees, C.V.
Developmental dissociation of methamphetamine-induced depletion of dopaminergic terminals and astrocyte reaction in rat striatum (72) 325

Rabin, R.A., see Zou, J.-y. (72) 75
Reisert, I., see Ovtscharoff, W. (72) 219
Rhoades, R.W., see White, F.A. (72) 314
Richey, P., see Harik, S.I. (72) 41
Ringstedt, T., Lagercrantz, H. and Persson, H.
Expression of members of the *trk* family in the developing postnatal rat brain (72) 119

Sakatani, K., see Lim, J.Y. (72) 15
Schaffner, A., see Behar, T. (72) 203
Schaffner, A.E., Behar, T., Nadi, S. and Barker, J.L.
Quantitative analysis of transient GABA expression in embryonic and early postnatal rat spinal cord neurons (72) 265
Schumacher, M., see Jung-Testas, I. (72) 282
Shah, B.H. and Hausman, R.E.
Effect of insulin on GABAergic development in the embryonic chick retina (72) 151
Steeves, J.D., see Ethell, D.W. (72) 1
Strauss, S., see Figueiredo, B.C. (72) 237
Swaab, D.F., see Panayotacopoulou, M.T. (72) 145

Tobet, S.A., Basham, M.E. and Baum, M.J.
Estrogen receptor immunoreactive neurons in the fetal ferret forebrain (72) 167
Tohyama, M., see Yamano, M. (72) 107

Utzschneider, D.A., see Lim, J.Y. (72) 15

Van Eldik, L.J., see Dyck, R.H. (72) 181
Velíšek, L., Moshé, S.L. and Cammer, W.
Developmental changes in seizure susceptibility in carbonic anhydrase II-deficient mice and normal littermates (72) 321
Volk, B., see Figueiredo, B.C. (72) 237
Vorhees, C.V., see Pu, C. (72) 325

Wanaka, A., Carroll, S.L. and Milbrandt, J.
Developmentally regulated expression of pleiotrophin, a novel heparin binding growth factor, in the nervous system of the rat (72) 133
Wei, J., see Baumgartner, M.K. (72) 305
West, J.R., see Goodlett, C.R. (72) 85
White, F.A., Bennett-Clarke, C.A., Chiaia, N.L., Hoeflinger, B.F. and Rhoades, R.W.
Galanin immunoreactivity reveals a vibrissae-related primary afferent pattern in perinatal rats after neonatal infraorbital nerve transection (72) 314

Yamano, M. and Tohyama, M.
The innervation of calcitonin gene-related peptide to the Purkinje cells and granule cells in the developing mouse cerebellum (72) 107
Yew, D.T., see Yu, M.C. (72) 277
Yu, M.C., Luo, C.B., Long, L. and Yew, D.T.
An immunohistochemical study of neuropeptide Y positive sites in the developing human hippocampal formation (72) 277

Zou, J.-y., Rabin, R.A. and Pentney, R.J.
Ethanol enhances neurite outgrowth in primary cultures of rat cerebellar macroneurons (72) 75